

W Series cylindrical lock - 626 (satin chrome) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (30-148)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed different

Additional cylinders available on pages 17-19

Additional latches and strikes available on page 20



Dane



Quantum



Hana

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	Dane	626	-	S00029097685
		W12	Quantum	626	-	S00029097692
		W12	Hana	626	-	S00029188321
Passage		W101S	Dane	626	-	S00029097715
		W101S	Quantum	626	-	S00029097739
		W101S	Hana	626	-	S00029216321
Communicating/exit		W161D	Dane	626	-	S00029194674
		W161D	Quantum	626	-	S00029285136
Privacy		W301S	Dane	626	-	S00029097760
		W301S	Quantum	626	-	S00029097777
		W301S	Hana	626	-	S00029278596
Entry/office		W511P6D	Dane	626	6 Pin, Falcon G, KD	S00029207343
		W511CP6D	Dane	626	6 Pin, Schlage C, KD	S00029097937
		W511LD	Dane	626	Less 6-pin cylinder	S00029207190
		W511BD	Dane	626	Less SFIC	S00029097807
		W511P6D	Quantum	626	6 Pin, Falcon G, KD	S00029211647
		W511CP6D	Quantum	626	6 Pin, Schlage C, KD	S00029211661
		W511BD	Quantum	626	Less SFIC	S00029097814
		W511P6D	Hana	626	6 Pin, Falcon G, KD	S00031510882
		W511CP6D	Hana	626	6 Pin, Schlage C, KD	S00029363506
Classroom		W561P6D	Dane	626	6 Pin, Falcon G, KD	S00029207367
		W561CP6D	Dane	626	6 Pin, Schlage C, KD	S00029097968
		W561LD	Dane	626	Less 6-pin cylinder	S00029207350
		W561BD	Dane	626	Less SFIC	S00029097838
		W561P6D	Quantum	626	6 Pin, Falcon G, KD	S00029257201
		W561CP6D	Quantum	626	6 Pin, Schlage C, KD	S00029222285
		W561BD	Quantum	626	Less SFIC	S00029097845
		W561P6D	Hana	626	6 Pin, Falcon G, KD	S00031510899
		W561CP6D	Hana	626	6 Pin, Schlage C, KD	S00029278602
Storeroom		W581P6D	Dane	626	6 Pin, Falcon G, KD	S00029207404
		W581CP6D	Dane	626	6 Pin, Schlage C, KD	S00029098002
		W581LD	Dane	626	Less 6-pin cylinder	S00029207381
		W581BD	Dane	626	Less SFIC	S00029097883
		W581P6D	Quantum	626	6 Pin, Falcon G, KD	S00029211654
		W581CP6D	Quantum	626	6 Pin, Schlage C, KD	S00029220267
		W581BD	Quantum	626	Less SFIC	S00029097890
		W581P6D	Hana	626	6 Pin, Falcon G, KD	S00031510905
		W581CP6D	Hana	626	6 Pin, Schlage C, KD	S00029363490

W Series cylindrical lock - 613 (oil rubbed bronze) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (30-148)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 17-19

Additional latches and strikes available on page 20

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	Dane	613	-	S00029097661
		W12	Quantum	613	-	S00029210145
Passage		W101S	Dane	613	-	S00029097708
		W101S	Quantum	613	-	S00029210091
Privacy		W301S	Dane	613	-	S00029097753
		W301S	Quantum	613	-	S00029210152
Entry/office		W511P6D	Dane	613	6 Pin, Falcon G, KD	S00029285167
		W511CP6D	Dane	613	6 Pin, Schlage C, KD	S00029097913
		W511BD	Dane	613	Less SFIC	S00029097791
		W511P6D	Quantum	613	6 Pin, Falcon G, KD	S00029362769
		W511CP6D	Quantum	613	6 Pin, Schlage C, KD	S00029220373
		W511BD	Quantum	613	Less SFIC	S00029362745
Classroom		W561P6D	Dane	613	6 Pin, Falcon G, KD	S00029285228
		W561CP6D	Dane	613	6 Pin, Schlage C, KD	S00029097951
		W561BD	Dane	613	Less SFIC	S00029097821
		W561P6D	Quantum	613	6 Pin, Falcon G, KD	S00029362837
		W561CP6D	Quantum	613	6 Pin, Schlage C, KD	S00029222278
		W561BD	Quantum	613	Less SFIC	S00029362790
Storeroom		W581P6D	Dane	613	6 Pin, Falcon G, KD	S00029285266
		W581CP6D	Dane	613	6 Pin, Schlage C, KD	S00029097999
		W581BD	Dane	613	Less SFIC	S00029097876
		W581P6D	Quantum	613	6 Pin, Falcon G, KD	S00029362851
		W581CP6D	Quantum	613	6 Pin, Schlage C, KD	S00029220274
		W581BD	Quantum	613	Less SFIC	S00029362844

W Series small rose cylindrical lock - 626 (satin chrome) finish

Small Rose W Lock has 2-9/16" (65mm) diameter rose instead of 3-3/8" (86mm) in standard W Lock.

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4"x 4-7/8" strike (30-148)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 17-19

Additional latches and strikes available on page 20



		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	SR Dane	626	-	S00031511803
		W12	SR Quantum	626	-	S00031511810
Passage		W101S	SR Dane	626	-	S00031511827
		W101S	SR Quantum	626	-	S00031511834
Privacy		W301S	SR Dane	626	-	S00031511865
		W301S	SR Quantum	626	-	S00031511872
Entry/office		W511P6D	SR Dane	626	6 Pin, Falcon G, KD	S00031511889
		W511CP6D	SR Dane	626	6 Pin, Schlage C, KD	S00031511896
		W511BD	SR Dane	626	Less SFIC	S00031511919
		W511P6D	SR Quantum	626	6 Pin, Falcon G, KD	S00031511926
		W511CP6D	SR Quantum	626	6 Pin, Schlage C, KD	S00031511933
		W511BD	SR Quantum	626	Less SFIC	S00031511957
Classroom		W561P6D	SR Dane	626	6 Pin, Falcon G, KD	S00031511964
		W561CP6D	SR Dane	626	6 Pin, Schlage C, KD	S00031511971
		W561BD	SR Dane	626	Less SFIC	S00031511995
		W561P6D	SR Quantum	626	6 Pin, Falcon G, KD	S00031512008
		W561CP6D	SR Quantum	626	6 Pin, Schlage C, KD	S00031512015
		W561BD	SR Quantum	626	Less SFIC	S00031512039
Storeroom		W581P6D	SR Dane	626	6 Pin, Falcon G, KD	S00031512046
		W581CP6D	SR Dane	626	6 Pin, Schlage C, KD	S00031512053
		W581BD	SR Dane	626	Less SFIC	S00031512077
		W581P6D	SR Quantum	626	6 Pin, Falcon G, KD	S00031512084
		W581CP6D	SR Quantum	626	6 Pin, Schlage C, KD	S00031512091
		W581BD	SR Quantum	626	Less SFIC	S00031512114

W Series small rose cylindrical lock - 613 (oil rubbed bronze) finish

Small Rose W Lock has 2-9/16" (65mm) diameter rose instead of 3-3/8" (86mm) in standard W Lock.

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (30-148)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 17-19

Additional latches and strikes available on page 20

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	SR Dane	613	-	S00031534512
		W12	SR Quantum	613	-	S00031534529
Passage		W101S	SR Dane	613	-	S00031534536
		W101S	SR Quantum	613	-	S00031534581
Privacy		W301S	SR Dane	613	-	S00031534673
		W301S	SR Quantum	613	-	S00031534697
Entry/office		W511P6D	SR Dane	613	6 Pin, Falcon G, KD	S00031535076
		W511CP6D	SR Dane	613	6 Pin, Schlage C, KD	S00031535083
		W511BD	SR Dane	613	Less SFIC	S00031535106
		W511P6D	SR Quantum	613	6 Pin, Falcon G, KD	S00031535113
		W511CP6D	SR Quantum	613	6 Pin, Schlage C, KD	S00031535120
		W511BD	SR Quantum	613	Less SFIC	S00031535144
Classroom		W561P6D	SR Dane	613	6 Pin, Falcon G, KD	S00031535151
		W561CP6D	SR Dane	613	6 Pin, Schlage C, KD	S00031535168
		W561BD	SR Dane	613	Less SFIC	S00031535182
		W561P6D	SR Quantum	613	6 Pin, Falcon G, KD	S00031535199
		W561CP6D	SR Quantum	613	6 Pin, Schlage C, KD	S00031535205
		W561BD	SR Quantum	613	Less SFIC	S00031535229
Storeroom		W581P6D	SR Dane	613	6 Pin, Falcon G, KD	S00031535236
		W581CP6D	SR Dane	613	6 Pin, Schlage C, KD	S00031535243
		W581BD	SR Dane	613	Less SFIC	S00031535267
		W581P6D	SR Quantum	613	6 Pin, Falcon G, KD	S00031535274
		W581CP6D	SR Quantum	613	6 Pin, Schlage C, KD	S00031535281
		W581BD	SR Quantum	613	Less SFIC	S00031535304

Cylindrical locks

FALCON®

B Series cylindrical lock - 626 (satin chrome) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 2" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (p/n 5164)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 17-19

Additional latches and strikes available on page 20



Dane

Quantum

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		B12	Dane	626	-	043156751075
		B12	Quantum	626	-	043156882540
Passage		B101S	Dane	626	-	043156890392
		B101S	Quantum	626	-	043156882526
Privacy		B301S	Dane	626	-	043156890408
		B301S	Quantum	626	-	043156882564
Entry/ office		B511P6D	Dane	626	6 Pin, Falcon G, KD	S00031510943
		B511CP6D	Dane	626	6 Pin, Schlage C, KD	043156890415
		B511BD	Dane	626	Less SFIC	043156871315
		B511P6D	Quantum	626	6 Pin, Falcon G, KD	S00031510950
		B511CP6D	Quantum	626	6 Pin, Schlage C, KD	S00028501350
		B511BD	Quantum	626	Less SFIC	043156882625
Classroom		B561P6D	Dane	626	6 Pin, Falcon G, KD	S00031510967
		B561CP6D	Dane	626	6 Pin, Schlage C, KD	043156882687
		B561BD	Dane	626	Less SFIC	043156882670
		B561P6D	Quantum	626	6 Pin, Falcon G, KD	S00031510974
		B561CP6D	Quantum	626	6 Pin, Schlage C, KD	S00028502883
		B561BD	Quantum	626	Less SFIC	043156882700
Storeroom		B581P6D	Dane	626	6 Pin, Falcon G, KD	S00031510981
		B581CP6D	Dane	626	6 Pin, Schlage C, KD	043156890439
		B581BD	Dane	626	Less SFIC	043156871322
		B581P6D	Quantum	626	6 Pin, Falcon G, KD	S00031510998
		B581CP6D	Quantum	626	6 Pin, Schlage C, KD	S00028504368
		B581BD	Quantum	626	Less SFIC	043156882762

B Series cylindrical lock - 613 (oil rubbed bronze) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 2" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (p/n 5164)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 17-19

Additional latches and strikes available on page 20

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		B12	Dane	613	-	043156882533
		B12	Quantum	613	-	S00028497684
Passage		B101S	Dane	613	-	043156882519
		B101S	Quantum	613	-	S00028497370
Privacy		B301S	Dane	613	-	043156882557
		B301S	Quantum	613	-	S00028498438
Entry/ office		B511P6D	Dane	613	6 Pin, Falcon G, KD	S00031511001
		B511CP6D	Dane	613	6 Pin, Schlage C, KD	043156882595
		B511BD	Dane	613	Less SFIC	043156882588
		B511P6D	Quantum	613	6 Pin, Falcon G, KD	S00031511018
		B511CP6D	Quantum	613	6 Pin, Schlage C, KD	S00028501091
		B511BD	Quantum	613	Less SFIC	S00028501916
Classroom		B561P6D	Dane	613	6 Pin, Falcon G, KD	S00031540162
		B561CP6D	Dane	613	6 Pin, Schlage C, KD	043156882656
		B561BD	Dane	613	Less SFIC	043156882649
		B561P6D	Quantum	613	6 Pin, Falcon G, KD	S00031511025
		B561CP6D	Quantum	613	6 Pin, Schlage C, KD	S00028502753
		B561BD	Quantum	613	Less SFIC	S00028503187
Storeroom		B581P6D	Dane	613	6 Pin, Falcon G, KD	S00031511032
		B581CP6D	Dane	613	6 Pin, Schlage C, KD	043156882731
		B581BD	Dane	613	Less SFIC	043156882724
		B581P6D	Quantum	613	6 Pin, Falcon G, KD	S00031511049
		B581CP6D	Quantum	613	6 Pin, Schlage C, KD	S00028504184
		B581BD	Quantum	613	Less SFIC	S00028504702

T Series cylindrical lock - 626 (satin chrome) finish

- Grade 1, UL Listed 3 hour, 1-3/8" to 2" door range standard.
- All functions (except Dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (p/n 5164)
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed different



Dane

Quantum

Additional cylinders available on pages 17-19
Additional latches and strikes available on page 20

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		T12	Dane	626		043156884605
		T12	Quantum	626		S00028554417
Passage		T101S	Dane	626		S00032228465
		T101S	Quantum	626		S00032228472
Privacy		T301S	Dane	626		S00032228489
		T301S	Quantum	626		S00032228496
Entry/office		T511P6D	Dane	626	6 Pin, Falcon G, KD	S00032228854
		T511CP6D	Dane	626	6 Pin, Schlage C, KD	S00032228731
		T511LD	Dane	626	Less standard cylinder	S00032228595
		T511BD	Dane	626	Less SFIC	S00032228571
		T511P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228861
		T511CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228748
		T511LD	Quantum	626	Less standard cylinder	S00032228601
		T511BD	Quantum	626	Less SFIC	S00032228588
Classroom		T561P6D	Dane	626	6 Pin, Falcon G, KD	S00032228878
		T561CP6	Dane	626	6 Pin, Schlage C, KD	S00032228755
		T561LD	Dane	626	Less standard cylinder	S00032228632
		T561BD	Dane	626	Less SFIC	S00032228618
		T561P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228885
		T561CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228762
		T561LD	Quantum	626	Less standard cylinder	S00032228625
		T561BD	Quantum	626	Less SFIC	S00032228649
Classroom Security		T381P6D	Dane	626	6 Pin, Falcon G, KD	S00032228830
		T381CP6D	Dane	626	6 Pin, Schlage C, KD	S00032228694
		T381LD	Dane	626	Less standard cylinder	S00032228526
		T381BD	Dane	626	Less SFIC	S00032228502
		T381P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228847
		T381CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228700
		T381LD	Quantum	626	Less standard cylinder	S00032228533
		T381BD	Quantum	626	Less SFIC	S00032228519
Storeroom		T581P6D	Dane	626	6 Pin, Falcon G, KD	S00032228892
		T581CP6D	Dane	626	6 Pin, Schlage C, KD	S00032228809
		T581LD	Dane	626	Less standard cylinder	S00032228670
		T581BD	Dane	626	Less SFIC	S00032228656
		T581P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228915
		T581CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228823
		T581LD	Quantum	626	Less standard cylinder	S00032228687
		T581BD	Quantum	626	Less SFIC	S00032228663